

MultiMark - Thermal transfer printer - US stocking cheat sheet

This document shows what marking material for the MultiMark printer is locally stocked in the US. It serves as a guideline to select locally stocked markers for different applications (e.g. terminal marking, wire marking, device marking).

Order no.	Name	Explanation	Qty.
2599430000	THM MultiMark	Included: power cable Type E+F, UK power cord, US power cor, USB cable, 114 mm ribbon core, print cylinder for connector markers, M-Print® PRO software on DVD, RIBBON MM 110/360 SW, RIBBON MM-TB 25/360 SW	1
2599440000	THM MultiMark Plus	Included: power cable Type E+F, UK power cord, US power cor, USB cable, 114 mm ribbon core, print cylinder for connector markers, M-Print® PRO software on DVD, RIBBON MM 110/360 SW, RIBBON MM-TB 25/360 SW, WLAN-Stick	1



Ribbon

Order no.	Name	Color	Width	Length	Qty.
1426210000	RIBBON HSS HF EL 40/300 SW	black	40 mm	300 m	1
2005070000	RIBBON MM 110/360 SW	black	110 mm	360 m	1
2005080000	RIBBON MM 76/360 SW	black	76 mm	360 m	1
2448880000	RIBBON MM-HS 60/300 SW	black	60 mm	300 m	1
2005090000	RIBBON MM-TB 25/360 SW	black	25 mm	360 m	1



Roller

Order no.	Name	Explanation	Qty.
1357420000	THM MMP ROLLER 115	Labels and heat shrinks	1
2438500000	THM MMP ROLLER TB	Terminals: Weidmüller DEK. WS	1
2518600000	THM MMP ROLLER MF	Terminals: MultiFit Phoenix	1
2519150000	THM MMP ROLLER MF-W	Terminals: MultiFit WAGO	1
2799000000	THM MMP ROLLER SFM 1	Weidmüller SFM 1	1
2786210000	THM MMP ROLLER SFM 2	Weidmüller SFM 2	1
2719270000	THM MMP ROLLER SFM 3	Weidmüller SFM 3	1
2835010000	THM MMP ROLLER SFM 4	Weidmüller SFM 4	1
2661610000	MM PLUS ROLLER MF	Terminals: MultiFit Phoenix (MultiMark Plus)	1
2661600000	MM PLUS ROLLER TB	Terminals: Weidmüller DEK. WS (MultiMark Plus)	1
2672590000	MM PLUS ROLLER 110	Labels and heat shrinks (MultiMark Plus)	1



Perforator

Order no.	Name	Explanation	Qty.
1416330000	THM MMP PERFORATOR	Optional perforation cutter for the use of endless shrink sleeves, for the THM MULTIMARK printer (2599430000)	1
1540770000	THM PLUS M PERFORATOR	Optional perforation cutter for the use of endless shrink sleeves, for the THM MULTIMARK PLUS printer (2599440000)	1



External reel holder

Order no.	Name	Explanation	Qty.
1302920000	THM MMP EXT.RH	Required for reel heights of 30 metres	1



Terminal Marker

Terminal markers on a reel - DEK and WS

Technical data

Material	Temperature	Fire class UL 94	Order no.	Name
PC-ABS, TPU	-58...194°F	V-2	2005090000	RIBBON MM-TB 25/360 SW

Ribbon:

Order no.	Name	Colour	Height	Width	Qty.
2007100000	DEK 5/3.5 MM WS	white	5 mm	3.5 mm	1,000
2007110000	DEK 5/5 MM WS	white	5 mm	5.0 mm	800
2007120000	DEK 5/6 MM WS	white	5 mm	6.0 mm	600
2007130000	DEK 5/8 MM WS	white	5 mm	8.0 mm	500
2619770000	DEK 5/5 MM BP WS	white	5 mm	5.0 mm	10,000
2619780000	DEK 5/6 MM BP WS	white	5 mm	6.0 mm	9,000
2619790000	DEK 5/8 MM BP WS	white	5 mm	8.0 mm	6,000
2007140000	WS 8/3.5 MM WS	white	8 mm	3.5 mm	1,750
2007150000	WS 8/5 MM WS	white	8 mm	5.0 mm	800
2007160000	WS 8/6 MM WS	white	8 mm	6.0 mm	600
2007170000	WS 8/8 MM WS	white	8 mm	8.0 mm	500
2619810000	WS 8/5 MM BP WS*	white	8 mm	5.0 mm	8,000
2619820000	WS 8/6 MM BP WS*	white	8 mm	6.0 mm	6,000
2712130000	WS 10/5 MM WS	white	10 mm	5.0 mm	800
2712140000	WS 10/6 MM WS	white	10 mm	6.0 mm	600
2007180000	WS 12/3.5 MM WS	white	12 mm	3.5 mm	1,000
2007190000	WS 12/5 MM WS	white	12 mm	5.0 mm	800
2007200000	WS 12/6 MM WS	white	12 mm	6 mm	600
2007210000	WS 12/8 MM WS	white	12 mm	8 mm	500
2619850000	WS 12/5 MM BP WS*	white	12 mm	5 mm	5,500
2619860000	WS 12/6 MM BP WS*	white	12 mm	6 mm	4,500
2619930000	WS 12/6.5 MM WS	white	12 mm	6.5 mm	500


*big pack unit



Terminal markers on a reel - Multifit (MF) for third party terminal blocks


Order no.	Name	Colour	Height	Width	Qty.
2519200000	MF 5/5 MM WS	white	5 mm	5.0 mm	1,200
2519210000	MF 5/6 MM WS	white	5 mm	6.0 mm	1,000
2885930000	MF 5/8 MM WS	white	5 mm	8.0 mm	800
2518500000	MF 8/5 MM WS	white	8 mm	5.0 mm	600
2519170000	MF 10/5 MM WS	white	10 mm	5.0 mm	600
2712160000	MF 10/6 MM BP WS*	white	10 mm	6.0 mm	3,800
2519180000	MF 10/6 MM WS	white	10 mm	6.0 mm	500
2519190000	MF 10/8 MM WS	white	10 mm	8.0 mm	400

*big pack unit



Terminal markers on a reel - Multifit (MF-W) for WAGO terminal blocks

Order no.	Name	Colour	Height	Width	Qty.
2519240000	MF-W 9/5 F MM WS	white	9 mm	5.2 mm	800
2519230000	MF-W 9/5 MM WS	white	9 mm	5.0 mm	800
2519250000	MF-W 9/5.2 F MM WS	white	9 mm	5.0 mm	1,200



Wire Marker


Heat shrink - organized - standard

Technical data

Material	Rate of shrink	Temperature	Recom. Shrink temp	Order no.	Name
Polyolefin	3:1	-67...275°F	194°F	2448880000	RIBBON MM-HS 60/300

Ribbon:

Order no.	Name	Color	Length	Conductor OD	Qty.
2526030000	HS 0.8-2.4/12 MM W	white	12.7 mm	0.8 - 2.4 mm	4,000
2526070000	HS 1.0-3.2/12 MM W	white	12.7 mm	1.0 - 3.2 mm	4,000
2437510000	HS 1.0-3.2/25 MM W	white	25.4 mm	1.0 - 3.2 mm	2,000
2437530000	HS 1.0-3.2/50 MM W	white	50.8 mm	1.0 - 3.2 mm	1,000
2526090000	HS 1.6-4.8/12 MM W	white	12.7 mm	1.6 - 4.8 mm	4,000
2437550000	HS 1.6-4.8/25 MM W	white	25.4 mm	1.6 - 4.8 mm	2,000
2437570000	HS 1.6-4.8/50 MM W	white	50.8 mm	1.6 - 4.8 mm	1,000
2526110000	HS 2.1-6.4/12 MM W	white	12.7 mm	2.1 - 6.4 mm	4,000
2437630000	HS 2.1-6.4/25 MM W	white	25.4 mm	2.1 - 6.4 mm	2,000
2437650000	HS 2.1-6.4/50 MM W	white	50.8 mm	2.1 - 6.4 mm	1,000
2437670000	HS 3.2-9.5/25 MM W	white	25.4 mm	3.2 - 9.5 mm	1,000
2437690000	HS 3.2-9.5/50 MM W	white	50.8 mm	3.2 - 9.5 mm	500
2437710000	HS 4.2-12.7/25 MM W	white	25.4 mm	4.2 - 12.7 mm	1,000



Heat shrink - organized - Halogen free

Technical data

Material	Rate of shrink	Temperature	Recom. Shrink temp	Order no.	Name
Polyolefin	2:1	-67...221°F	194°F	2448880000	RIBBON MM-HS 60/300

Ribbon:



Order no.	Name	Color	Length	Conductor OD	Qty.
2526230000	HS-HF 1.2-2.4/12 MM W	white	12.7 mm	1.2 - 2.4 mm	4,000
2437830000	HS-HF 1.2-2.4/25 MM W	white	25.4 mm	1.2 - 2.4 mm	2,000
2437850000	HS-HF 1.2-2.4/50 MM W	white	50.8 mm	1.2 - 2.4 mm	1,000
1961970000	HSS-HF 1/8 1.8-2.8/25Y	yellow	25.4 mm	1.8 - 2.8 mm	10,000
1961900000	HSS-HF 1/8 1.8-2.8/50Y	yellow	50.8 mm	1.8 - 2.8 mm	5,000
2437870000	HS-HF 1.6-3.2/25 MM W	white	25.4 mm	1.6 - 3.2 mm	2,000
2437990000	HS-HF 2.4-4.8/25 MM W	white	25.4 mm	2.4 - 4.8 mm	2,000
2438010000	HS-HF 2.4-4.8/50 MM W	white	50.8 mm	2.4 - 4.8 mm	1,000
1961980000	HSS-HF 3/16 2.8-4.2/25Y	yellow	25.4 mm	2.8 - 4.2 mm	8,000
1961910000	HSS-HF 3/16 2.8-4.2/50Y	yellow	50.8 mm	2.8 - 4.2 mm	4,000
2438040000	HS-HF 3.2-6.4/25 MM W	white	25.4 mm	3.2 - 6.4 mm	2,000
2438060000	HS-HF 3.2-6.4/50 MM W	white	50.8 mm	3.2 - 6.4 mm	1,000
2438090000	HS-HF 4.8-9.5/25 MM W	white	25.4 mm	4.8 - 9.5 mm	1,000
2438140000	HS-HF 6.4-12.7/25 MM W	white	25.4 mm	6.4 - 12.7 mm	1,000
2437930000	HS-HF 12.7-25.4/50 MM W	white	50.8 mm	12.7 - 25.4 mm	200



Heat shrink - endless - standard

Technical data

Material	Rate of shrink	Temperature	Recom. Shrink temp	Order no.	Name
Polyolefin	3:1	-67...275°F	194°F	1426210000	RIBBON HSS-HF 40/300

Ribbon:

Order no.	Name	Color	Length	Conductor OD	Qty.
1505840000	HSS 0.8-2.4 EL W30M	white	30 m	0.8 - 2.4 mm	1
1489630000	HSS 1.0-3.2 EL W13M	white	13 m	1.0 - 3.2 mm	1
1505850000	HSS 1.0-3.2 EL W30M	white	30 m	1.0 - 3.2 mm	1
2724710000	HSS 1.6-4.8 EL W100M	white	100 m	1.6 - 4.8 mm	1
1489640000	HSS 1.6-4.8 EL W13M	white	13 m	1.6 - 4.8 mm	1
1505860000	HSS 1.6-4.8 EL W30M	white	30 m	1.6 - 4.8 mm	1
1489550000	HSS 1.6-4.8 EL Y13M	yellow	13 m	1.6 - 4.8 mm	1
1489650000	HSS 2.1-6.4 EL W13M	white	13 m	2.1 - 6.4 mm	1
1489660000	HSS 3.2-9.5 EL W13M	white	13 m	3.2 - 9.5 mm	1
1489670000	HSS 4.2-12.7 EL W13M	white	13 m	4.2 - 12.7 mm	1
1489680000	HSS 6.4-19.1 EL W10M	white	10 m	6.4 - 19.1 mm	1



Heat shrink - endless - halogen free

Technical data

Material	Rate of shrink	Temperature	Recom. Shrink temp	Order no.	Name
Polyolefin	2:1	-67...275°F	194°F	1426210000	RIBBON HSS-HF 40/300

Ribbon:



Order no.	Name	Color	Length	Conductor OD	Qty.
1423330000	HSS-HF 1.2-2.4 EL W13M	white	13 m	1.2 - 2.4 mm	1
1423340000	HSS-HF 1.6-3.2 EL W13M	white	13 m	1.6 - 3.2 mm	1
1423350000	HSS-HF 2.4-4.8 EL W13M	white	13 m	2.4 - 4.8 mm	1
1423360000	HSS-HF 3.2-6.4 EL W13M	white	13 m	3.2 - 6.4 mm	1
2788640000	HSS-HF 3.2-6.4 EL W75M	white	75 m	3.2 - 6.4 mm	1
1423370000	HSS-HF 4.8-9.5 EL W13M	white	13 m	4.8 - 9.5 mm	1
1513290000	HSS-HF 4.8-9.5 EL W30M	white	30 m	4.8 - 9.5 mm	1
1423390000	HSS-HF 9.5-19.1 EL W10M	white	10 m	9.5 - 19.1 mm	1



Wrap around marker (THM WriteOn)

Technical data

Material	Temperature	Fire class UL 94	Adhesive	Order no.	Name
Polyester	-40...302°F	V0	Polyacrylat adhesive	2005070000	RIBBON MM 110/360 SW

Ribbon:

Order no.	Name	Color	Print height	Print width	Overall length	Conductor OD	Qty.
1856640000	THM WO 12/18 WS	white	9 mm	12 mm	18 mm	2.8 - (2.9) mm	10,000
1774380000	THM WO 17.8/34 WS	white	13 mm	18 mm	34 mm	4.4 - 6.7 mm	3,000
2621500000	THM WO 20/32 WS	white	9 mm	20 mm	32 mm	2.8 - 7 mm	3,000
1751561044	THM WO 25/140 WS	white	26 mm	25 mm	140 mm	8.3 - 36.4 mm	1,000
1774350000	THM WO 25/76 WS	white	15 mm	25 mm	76 mm	4.8 - 19.4 mm	1,800



Wrap around marker (THM WriteOn - Vinyl)

Technical data

Material	Temperature	Fire class UL 94	Adhesive	Order no.	Name
Vinylfilm	-40...176°F	V0	Polyacrylat adhesive	2005070000	RIBBON MM 110/360 SW

Ribbon:

Order no.	Name	Color	Print height	Print width	Overall length	Conductor OD	Qty.
2657100000	THM WO VIN 12.7/19 WS	white	7 mm	13 mm	19 mm	2.1 - 6.1 mm	10,000
2657110000	THM WO VIN 12.7/38.1 WS	white	13 mm	13 mm	38 mm	4 - 12.1 mm	10,000
1382940000	THM WO VIN 12/18 WS	white	9 mm	12 mm	18 mm	2.9 - 5.7 mm	10,000
1382930000	THM WO VIN 17.8/34 WS	white	13 mm	18 mm	34 mm	4.1 - 10.8 mm	3,000
1391430000	THM WO VIN 24.5/100 WS	white	25 mm	25 mm	100 mm	8 - 31.8 mm	2,000
1391410000	THM WO VIN 24.5/62 WS	white	25 mm	25 mm	62 mm	8 - 19.7 mm	2,000
2657120000	THM WO VIN 25.4/19 WS	white	7 mm	25 mm	19 mm	2.1 - 6.1 mm	2,000
2657140000	THM WO VIN 25.4/31.8 WS	white	10 mm	25 mm	32 mm	3 - 10.1 mm	2,000
1110600000	THM WO VIN 25.4/36.5 WS IW	white	13 mm	25 mm	37 mm	4 - 11.6 mm	2,500
2657160000	THM WO VIN 25.4/38.1 WS	white	13 mm	25 mm	38 mm	4 - 12.1 mm	2,000
1253150000	THM WO VIN 25/25 WS	white	10 mm	25 mm	25 mm	3.2 - 8 mm	5,000



Wrap around marker (THM WriteOn -Q- Vinyl) - for quick stripping


Technical data

Material	Temperature	Fire class UL 94	Adhesive	Order no.	Name
Vinylfilm	-40...176°F	V0	Polyacrylat adhesive	2005070000	RIBBON MM 110/360 SW
				2005080000	RIBBON MM 76/360 SW

Ribbon:

Order no.	Name	Color	Print height	Print width	Overall length	Conductor OD	Qty.
2711910000	THM WO-Q VIN 25/19.1 WS	white	9 mm	25 mm	19 mm	2.9 - 6.1 mm	1,000
2711920000	THM WO-Q VIN 25/31.8 WS	white	9 mm	25 mm	32 mm	2.9 - 10.1 mm	1,000
2711930000	THM WO-Q VIN 25/38.1 WS	white	9 mm	25 mm	38 mm	2.9 - 12.1 mm	1,000
2711940000	THM WO-Q VIN 25/51.4 WS	white	25 mm	25 mm	51 mm	8 - 16.4 mm	1,000
2711960000	THM WO-QX 25/38.1WS*	white	9 mm	25 mm	38 mm	2.9 - 12.1 mm	1,000
2711970000	THM WO-QX VIN 25/100 WS*	white	25 mm	25 mm	100 mm	8 - 31.8 mm	1,000
2711980000	THM WO-QX VIN 25/38.1 WS*	white	9 mm	25 mm	38 mm	2.9 - 12.1 mm	1,000

*THM WO-QX with perforated protective foil



Wire marker TM-I

Technical data

Material	Temperature	Fire class	UL 94
Polyester	-40...302°F	HB	

Ribbon:

Order no.	Name
2005080000	RIBBON MM 76/360 SW

Order no.	Name	Color	Print height	Print width	Qty.
2005450000	TM-I 15 MM WS	white	15 mm	4 mm	2,000
2005470000	TM-I 18 MM WS	white	18 mm	4 mm	2,000
2005490000	TM-I 20 MM WS	white	20 mm	4 mm	2,000



Wire marker WM

Technical data

Material	Temperature	Fire class	UL 94
Polyester	-40...302°F	HB	

Ribbon:

Order no.	Name
2005080000	RIBBON MM 76/360 SW

Order no.	Name	Color	Conductor OD	Printing area	Qty.
2006190000	WM 1/12 2.0-3.5 MM WS	white	2.0 - 3.5 mm	13 x 4.8 mm	2,000



Wire marker SFM


Technical data

Material	Temperature	Fire class	UL 94
PC-ABS, TPU	-40...194°F	HB	

Ribbon:

Order no.	Name
2005090000	RIBBON MM-TB 25/360 SW

Order no.	Name	Color	Conductor OD	Printing area	Height/width	Qty.
2719090000	SFM 2/12 1.8-2.5 MM WS	white	1.8 - 2.5 mm	9.5 x 3.3 mm	12/4.6 mm	1,400
2719100000	SFM 2/18 1.8-2.5 MM WS	white	1.8 - 2.5 mm	15.5 x 3.3 mm	18/4.6 mm	900



Cable marker

cable marker SFX

Technical data

Material	Temperature	Fire class	UL 94
Polyurethane	-40...194°F	H	

Ribbon:

Order no.	Name
2005040000	RIBBON MM 80/300 WS
2005080000	RIBBON MM 76/360 SW

Order no.	Name	Color	Height/Width	Printing area	Qty.
2005380000	SFX 9/24 MM GE	yellow	26 / 15 mm	9 x 23.5 mm	1,000
2005320000	SFX 9/24 MM WS	white	26 / 15 mm	9 x 23.5 mm	1,000
2712100000	SFX 9/24 MM BP GE*	yellow	26 / 15 mm	9 x 23.5 mm	9,000
2712090000	SFX 9/24 MM BP WS*	white	26 / 15 mm	9 x 23.5 mm	9,000
2005400000	SFX 11/60 MM GE	yellow	60 / 11 mm	44 x 10.5 mm	1,000
2005340000	SFX 11/60 MM WS	white	60 / 11 mm	44 x 10.5 mm	1,000

* big pack unit



inlay tags ELS

Technical data

Material	Temperature	Fire class	UL 94
Polyurethane	-40...194°F	H	

Ribbon:

Order no.	Name
2005040000	RIBBON MM 80/300 WS
2005080000	RIBBON MM 76/360 SW

Order no.	Name	Color	Height	Width	Qty.
2005200000	ELS 16/40 MM WS	white	40 mm	16 mm	2,000
2010620000	ELS 6/30 MM GE	yellow	30 mm	6 mm	3,000
2009980000	ELS 6/30 MM WS	white	30 mm	6 mm	3,000




Device Marker

Device marker Clip Card

Technical data

Material	Temperature	Fire class	UL 94	Adhesive	Order no.	Name
Polyester	-40...248°F	V-0		Acrylat adhesive	2005040000	RIBBON MM 80/300 WS
					2005080000	RIBBON MM 76/360 SW

Order no.	Name	Color	Height	Width	Qty.
2005600000	CC 15/27 MM WS	white	27 mm	15 mm	450
2005500000	CC 15/45 MM WS	white	45 mm	15 mm	450
2005410000	CC 15/60 MM WS	white	60 mm	15 mm	450
2005330000	CC 30/60 MM WS	white	60 mm	30 mm	450
2005290000	CC 85/54 MM GR	grey	54 mm	85 mm	100
2005270000	CC 85/54 MM WS	white	54 mm	85 mm	100



Device marker Clip Card (raised with foam)

Technical data

Material	Temperature	Fire class	UL 94	Adhesive	Order no.	Name
Polyester	-40...248°F	V-0		PE-foam/Acrylat	2005040000	RIBBON MM 80/300 WS
					2005080000	RIBBON MM 76/360 SW

Order no.	Name	Color	Height	Width	Qty.
2621370000	CC-FO 15/27 MM WS	white	27 mm	15 mm	500




Device marker THM MT

Technical data

Material	Temperature	Fire class	UL 94	Adhesive	Order no.	Name
Polyester	-40...248°F	V-0		Acrylat adhesive	2005070000	RIBBON MM 110/360 SW

Order no.	Name	Color	Height	Width	Qty.
1762960001	THM MT30X 101/74 SI	silver	101 mm	74 mm	500
2455620000	THM MT30X 101/74 WS	white	101 mm	74 mm	500
1751751044	THM MT30X 25/12 WS	white	25 mm	12 mm	10,000
1011610000	THM MT30X 38/17 WS	white	38 mm	17 mm	4,000
1003410000	THM MT30X 89/60 SI	silver	89 mm	60 mm	1,000



Device marker Endless

Technical data

Material	Temperature	Fire class	UL 94	Adhesive	Order no.	Name
Polyester	-40...248°F	V-0		Acrylat adhesive	2005070000	RIBBON MM 110/360 SW
					2005080000	RIBBON MM 76/360 SW

Order no.	Name	Color	Height	Width	Qty.
2006630000	EL 27 MM WS 30M	white	27 mm	30 m	1
2006660000	EL 38 MM WS 30M	white	38 mm	30 m	1
2006690000	EL 60 MM WS 30M	white	60 mm	30 m	1
2006720000	EL 100 MM WS 30M	white	100 mm	30 m	1




Device marker Push button (Switch Mark)

Technical data

Material	Temperature	Fire class	UL 94	Adhesive	Order no.	Name
Polyester	-40...248°F	V-0		Acrylat adhesive	2005080000	RIBBON MM 76/360 SW

Ribbon:



Order no.	Name	Color	Height	Width	Hole size Ø	Qty.
2006400000	SM 27/8 MM WS	white	8 mm	27 mm		1,000
2006500000	SM 27/12.5 MM WS	white	12.5 mm	27 mm		1,000
2006280000	SM 27/18 MM WS	white	18 mm	27 mm		1,000
2005840000	SM 27/18-22 MM WS	white	54 mm	27 mm	22 mm	1,000
2006100000	SM 36/18-30 MM WS	white	62 mm	36 mm	30 mm	1,000

Device marker - component marker ESG

Technical data

Material	Temperature	Fire class	UL 94	Adhesive	Order no.	Name
Polyester	-40...248°F	V-0		Acrylat adhesive	2005080000	RIBBON MM 76/360 SW

Ribbon:



Order no.	Name	Color	Height	Width	Qty.
2005100000	ESG 6/17 MM WS	white	17 mm	6 mm	3,000
2005140000	ESG 8/20 MM WS	white	20 mm	8 mm	3,000
2005190000	ESG 9/17 MM WS	white	17 mm	9 mm	3,000